



Issue date: 07/23/2022 v 1 Last Revision Date: 10/25/2021

1 Identification

· Product identifier

· Trade name: POLARCHEM FBC

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Energy Technology Group, LLC. 1660 Kensington Avenue, suite <u>6</u> Cheektowaga NY 14215 USA

(716) 240-4989

· email of person responsible: wrichards@energytechnologygroup.com

· Emergency telephone number:

CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

2 Hazard identification

· Classification of the substance or mixture

Flammable Liquids - Category 3 H226 Flammable liquid and vapour.

Acute Toxicity (Oral) - Category 4 H302 Harmful if swallowed.

Acute Toxicity (Dermal) – Category 4 H312 Harmful in contact with skin.

Acute Toxicity (Inhalation) - Category 4 H332 Harmful if inhaled.

Skin Irritation - Category 2 H315 Causes skin irritation.

Eye Irritation - Category 2A H319 Causes serious eye irritation.

Carcinogenicity – Category 2 H351 Suspected of causing cancer.

Reproductive Toxicity - Category 2 H361 Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Repeated Exposure H373 May cause damage to the hearing organs - Category 2 through prolonged or repeated exposure.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







- Signal word Warning
- · Hazard-determining components of labeling:

2-ethylhexyl nitrate ethylbenzene

2-(2-methoxyethoxy)ethanol xylene

· Hazard statements

Flammable liquid and vapour.

(Contd. on page 2)

Issue date: 07/23/2022 v 1 Last Revision Date: 10/25/2021

Trade name: POLARCHEM FBC

(Contd. of page 1)

Harmful if swallowed.

Harmful in contact with skin.

Harmful if inhaled.

Causes skin irritation.

Causes serious eye irritation.

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

May cause damage to the hearing organs through prolonged or repeated exposure.

Toxic to aquatic life with long lasting effects.

Precautionary statements

Obtain special instructions before use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe fume/spray.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific measures (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents in accordance with local regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 3

Reactivity = 0

3 Composition/Information on ingredients

· Chemical characterization: Mixtures

· Chemical components:		
27247-96-7	2-ethylhexyl nitrate	25-50% w/w *
1330-20-7	xylene	10-25% w/w *
111-76-2	2-butoxyethanol	10-25% w/w *
100-41-4	ethylbenzene	1-10% w/w *
95-63-6	1,2,4-trimethylbenzene	1-10% w/w *
111-77-3	2-(2-methoxyethoxy)ethanol	1-10% w/w *
		(Contd. on page 3)

Issue date: 07/23/2022 v 1 Last Revision Date: 10/25/2021

Trade name: POLARCHEM FBC

64742-94-5	Solvent naphtha (petroleum), heavy arom.	(Contd. of page 2) 1-10% w/w *
98-82-8	cumene	0.1-2% w/w *
91-20-3	naphthalene	0.1-2% w/w *

^{*} Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

Description of first aid measures

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor: Treat Symptomatically
 - · Most important symptoms and effects, both acute and delayed

Headache

Dizziness

Disorientation

Nausea

May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. Repeated exposure to this material can result in absorption through skin causing significant health hazard.

Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Harmful if swallowed. May be fatal if swallowed and enters airways. Swallowing a small quantity of this material will result in serious health hazard.

See section 11.

Indication of any immediate medical attention and special treatment needed Medical supervision for at least 48 hours.

5 Fire-fighting measures

- Extinguishing media
 - Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
 - · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture See section 10 for additional information.

(Contd. on page 4)

Issue date: 07/23/2022 v 1 Last Revision Date: 10/25/2021

Trade name: POLARCHEM FBC

(Contd. of page 3)

Advice for firefighters

· Protective equipment:

Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots. Do not use a water jet.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

Take precautions to avoid release to the environment. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by storerooms and receptacles:

See section 10 for incompatible materials.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

(Contd. on page 5)

Issue date: 07/23/2022 v 1 Last Revision Date: 10/25/2021

Trade name: POLARCHEM FBC

(Contd. of page 4)

8 Exposure controls/ Personal protection

· Control parameters

	· Components with limit values that require monitoring at the workplace:		
133	1330-20-7 xylene (10-25%)		
EL	STEL: 150 ppm TWA: 100 ppm		
EV	STEL: 650 mg/m³, 150 ppm TWA: 435 mg/m³, 100 ppm		
111	-76-2 2-butoxyethanol (10-25%)		
EL	TWA: 20 ppm		
EV	TWA: 20 ppm Skin		
100	-41-4 ethylbenzene (1-10%)		
EL	TWA: 20 ppm IARC 2B		
EV	STEL: 540 mg/m³, 125 ppm TWA: 435 mg/m³, 100 ppm		
98-	98-82-8 cumene (0.1-2%)		
EL	EL STEL: 75 ppm		

TWA: 25 ppm IARC 2B

EV TWA: 245 mg/m³, 50 ppm

91-20-3 naphthalene (0.1-2%)

EL TWA: 10 ppm Skin; IARC 2B

EV STEL: 78 mg/m³, 15 ppm TWA: 52 mg/m³, 10 ppm

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Chemical resistant protective gloves

(Contd. on page 6)

Issue date: 07/23/2022 Last Revision Date: 10/25/2021 v 1

Trade name: POLARCHEM FBC

(Contd. of page 5)

· Eye protection:



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

· Body protection: Protective work clothing

9 Physical and chemical properties
lufamustian an basis ubusisal and abans

or nyordar arra orronnoar proportie	
· Information on basic physical and che	mical properties
General Information	• •
· Appearance:	
· Form:	Liquid
· Color:	Amber colored
· Odor:	Petrol-like
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	162 °C
<u> </u>	
· Flash point:	35 °C
· Flammability (solid, gaseous):	Not applicable.
 Decomposition temperature: 	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density:	Not determined.
· Relative density at 20 °C	0.8-0.9
· Vapor density	Not determined.
· Evaporation rate	Not determined.
Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
· Kinematic:	Not determined.

(Contd. on page 7)

Issue date: 07/23/2022 v 1 Last Revision Date: 10/25/2021

Trade name: POLARCHEM FBC

(Contd. of page 6)

· Solvent separation test

· VOC content: 50.26 %

Other information
 No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
 - Thermal decomposition / conditions to be avoided:

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat, open flames, sparks.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: May include, and are not limited to: oxides of carbon.

11 Toxicological information

- · Information on toxicological effects
 - · Acute toxicity:

		are relevant for classification:	
•	te Toxicity Estim	· ·	
Oral	LD50	937 mg/kg	
Dermal	LD50	1,617 mg/kg	
Inhalative	LC50/4 h (vapor)	16.2 mg/L	
27247-96	-7 2-ethylhexyl nit	rate	
Oral	LD50	500 mg/kg (ATE)	
Dermal	LD50	1,100 mg/kg (ATE)	
Inhalative	LC50/4 h (vapor)	11 mg/L (ATE)	
1330-20-7	xylene		
Oral	LD50	4,300 mg/kg (rat)	
Dermal	LD50	2,000 mg/kg (rabbit)	
Inhalative	LC50/4 h (vapor)	6,700 mg/L (rat)	
111-76-2	2-butoxyethanol		
Oral	LD50	1,200 mg/kg (ATE)	
		1,414 mg/kg (gpg)	
Dermal	LD50	2,000 mg/kg (gpg)	
Inhalative	LC50/4 h (vapor)	11.5 mg/L (gpg)	
100-41-4	ethylbenzene		
Oral	LD50	3,500 mg/kg (rat)	
Dermal	LD50	17,800 mg/kg (rabbit)	
		17.8 mg/L (rat)	

Issue date: 07/23/2022 v 1 Last Revision Date: 10/25/2021

Trade name: POLARCHEM FBC

		(Contd. of page 7)	
95-63-6 1,	95-63-6 1,2,4-trimethylbenzene		
Oral	LD50	5,000 mg/kg (rat)	
Inhalative	LC50/4 h (vapor)	18 mg/L (rat)	
111-77-3 2	2-(2-methoxyetho	xy)ethanol	
Oral	LD50	5,500 mg/kg (rat)	
Dermal	LD50	6,540 mg/kg (rabbit)	
98-82-8 cu	98-82-8 cumene		
Oral	LD50	1,400 mg/kg (rat)	
Dermal	LD50	12,300 mg/kg (rabbit)	
Inhalative	LC50/4 h (vapor)	24.7 mg/L (mouse)	
91-20-3 na	91-20-3 naphthalene		
Oral	LD50	490 mg/kg (rat)	
Dermal	LD50	5,000 mg/kg (rat)	

- Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)			
1330-20-7		3	
111-76-2	2-butoxyethanol	3	
100-41-4	ethylbenzene	2B	
98-82-8	cumene	2B	
91-20-3	naphthalene	2B	
· V	· NTP (National Toxicology Program)		
98-82-8 cı	ımene	R	
91-20-3 na	aphthalene	R	
· C	· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.			

12 Ecological information

- · Toxicity
 - · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.

(Contd. on page 9)

Issue date: 07/23/2022 v 1 Last Revision Date: 10/25/2021

Trade name: POLARCHEM FBC

(Contd. of page 8)

· Ecotoxical effects:

- · Remark: Very toxic for fish · Additional ecological information:
 - · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms Toxic for aquatic organisms

Results of PBT and vPvB assessment

- · **PBT:** Not applicable. · **vPvB:** Not applicable.
- Other adverse effects Avoid release to the environment.

13 Disposal considerations

- · Waste treatment methods
 - · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT/TDG, ADR, IMDG, IATA	UN1993
· UN proper shipping name	
· DOT/TDG	Flammable liquids, n.o.s. (Xylenes, Ethylbenzene, 2-butoxyethanol)
· ADR	UN1993 Flammable liquids, n.o.s. (Xylenes, Ethylbenzene)
· IMDG	FLÁMMABLE LIQUID, N.O.S. (XYLENES, ETHYLBENZENE), MARINE POLLUTANT
· IATA	FLAMMABLE LÍQUID, N.O.S. (XYLENES, ETHYLBENZENE)

- · Transport hazard class(es)
 - · DOT/TDG (Transport dangerous goods):



· Class 3 Flammable liquids

(Contd. on page 10)

Issue date: 07/23/2022 v 1 Last Revision Date: 10/25/2021

Trade name: POLARCHEM FBC

	(Contd. of page
· Label	3
· IMDG, IATA	
· Class	3 Flammable liquids
· Label	3
Packing group DOT/TDG, ADR, IMDG, IATA	III
· Environmental hazards:	Product contains environmentally hazardo substances: 2-ethylhexyl nitrate
· Marine pollutant:	No Yes (DOT)
· Special precautions for user · Hazard identification number (Ken	
· EMS Number: · Stowage Category	F-E, <u>S-E</u> A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	of Not applicable.
· Transport/Additional information:	
DOT/TDG Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· IMDG	
Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: ml Maximum net quantity per outer packagin
· UN "Model Regulation":	1000 ml UN 1993 FLAMMABLE LIQUIDS, N.O.S. (XYLENE ETHYLBENZENE), 3, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No REACH Annex XVII restrictions Contains no REACH candidate substance

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 11)

Issue date: 07/23/2022 v 1 Last Revision Date: 10/25/2021

Trade name: POLARCHEM FBC

	(Contd. of page 10)
. 5	Section 313 (Specific toxic chemical listings):
1330-20-7	· ·
111-76-2	2-butoxyethanol
100-41-4	ethylbenzene
95-63-6	1,2,4-trimethylbenzene
111-77-3	2-(2-methoxyethoxy)ethanol
98-82-8	cumene
91-20-3	naphthalene
· TSC	CA (Toxic Substances Control Act):
All compor	nents have the value ACTIVE.
· Can	nadian substance listings:
. (Canadian Domestic Substances List (DSL)
	7 2-ethylhexyl nitrate
1330-20-	
	2 2-butoxyethanol
	4 ethylbenzene
	6 1,2,4-trimethylbenzene
	5 Solvent naphtha (petroleum), heavy arom.
	7 2-Ethyl-1-hexanol
	8 cumene
	1 oleic acid, pure
91-20-	naphthalene
	Canadian Non-Domestic Substances List (NDSL)
None of th	e ingredients is listed.
	Canadian Ingredient Disclosure list (limit 0.1%)
	ethylbenzene
95-63-6	1,2,4-trimethylbenzene
. (Canadian Ingredient Disclosure list (limit 1%)
111-76-2	2-butoxyethanol
111-77-3	2-(2-methoxyethoxy)ethanol

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Contact: Engineering Department
 - Date of the latest revision of the safety data sheet 07/23/2022 / -
 - · Issue Date 10/25/2021
 - · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 12)

Issue date: 07/23/2022 Last Revision Date: 10/25/2021 v 1

Trade name: POLARCHEM FBC

(Contd. of page 11)

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

CAS: Chemical Abstracts Service (division of the America NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health